



D1 LED Street light

Product Description

Compared to other lights, D1 LED Street lights offer a number of longer-term benefits that brought by LEDs such as reduces electricity consumption by reducing the amount of “spilled” or wasted light and so on. What’s more, D1 LED Street lights can also provide better quality street lighting and ensure light is focused on roads and sidewalks, making objects appear clearer and more defined, where it is most useful to drivers and pedestrians. So, D1 LED Street lights is your first choice in buying street lights.

D1 LED Street light Features

- 1.Modular design, full power free combination, simple tool maintenance.
- 2.Honeycomb type heat dissipation and full structure heat dissipation technology, high performance heat dissipation.
- 3.The original high efficiency Lumileds LED chip, single light damage will not affect the whole light.
- 4.The longitudinal uniformity 0.95, more comfortable and safety for driver.
- 5.Intelligent constant current driver, over temperature, over voltage, over current protection, ensure product stability.
6. 10KV lightning protection design, to protect the product from the induction and conduction of lightning damage.
- 7.Support PWM dimming, timing dimming, support 0-10V dimming interface.



Zhejiang Seming Electronic Co., Ltd

8. Water proof of IP68, avoid water vapor or corrosive gas erosion of chips and circuit boards.

9. AC90-305V, suitable for many countries.

Detailed Parameters

Model	D1-3	D1-4
Power	150W	200W
Light Source	192pcs	256pcs
Luminous	>19500 lm	>26000 lm
Chip Brand	LUMINLEDS/OSRAM	
Driver Brand	MOSO/PHILIPS/INVENTRONICS/MEAN WELL	
Input Voltage	100-277V~50/60Hz	
CCT	3000K-5700K	
Luminous Efficiency	130 lm/w	
CRI	>Ra70	
PF	>0.95	
Total	<15%	


Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: sales@seminglighting.com**




Zhejiang Seming Electronic Co., Ltd

harmonic distortion	
IP Rating	Ip67
Working Temperature	-20°C~+50°C
Wind Proof Index	12
Working time	>50000h
Pole interface	60mm

Product Display



Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265**; **Email: sales@seminglighting.com**



cd/klm — C0-C180, 151.8度 — C90-C270, 80.6度



Application

Expressway, main road and branch road, park

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: sales@seminglighting.com**



Zhejiang Seming Electronic Co., Ltd



Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp: +8618267537265; Email: sales@seminglighting.com**