

## SM-T1F LED Street Light

### **Product Description**

SM-T1F LED Street Light is better than normal LED lights for its large number light sources. Also, with the help of its advanced chip, the speed of it to emit light would be much better than other LED street lights in the market. And the color rendering index of SM-T1F LED Street Light is higher than many other lights, helping drivers to identify the different signs correctly and reduce the incidence of traffic accidents effectively. What's more, SM-T1F LED Street Light is competitive for its outstanding working ability against harsh environments such as heavy rain, low temperature, and so on. Finally, you can save a lot of energy cost during using it for SM-T1F LED Street Light is of 91% power efficiency.

## SM-T1F LED Street Light Features

- 1. Pure aluminum sheet cooling technology, high efficient heat dissipation,
- $2\cdot$  Double-coupling IP68 protection, highest waterproof level,
- 3. Intelligent constant current driving technology, long life span,
- 4. Ergonomic light distribution to achieve uniform illuminating effect

#### **Detailed Parameters**

Input	Power	Power	Junction	CRI	Working	Storage
Voltage	Efficiency	Factor	Temperature		Environmen	Temperatur
					t	е

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, WhatsApp: +8618267537265; Email: sales@seminglighting.com



			J	<del>8</del>		<b>8</b>						
AC100V-	88%		0.9	95	<8	80℃	Ra≥70	-40		$^{\circ}$	-40	$^{\circ}$
277V								~+5	50	$^{\circ}\!$	~+50°C	
								10%	%~90%	SR		
								Н				
LED Life spar	Surge	Surge		т	LEC	) Brand	Installation	Ma	terial		IP Rating	,
	Prote	ctio					Diameter					
	n											
>60000Hour	10KV/	10KV/5K		000K Lur		nileds	57~63mm	Me	tal		LED	
S	А	А									Module	
				4000K							IP68, Pov	wer
			,								Supply If	267
			50	оок								
			,									
			57	00К								
Model	Syste	LM/	,	Initia	I	Product	Packaging	N	1.W. (K	g)	G.W.	
	m	W		Lume	en	Size (mm)	dimension				(Kg)	
	Power	er (High		s (High)			(mm)					
		)										
SM-T1F	20	115		2300		435*190*8	495*250*1	4 2	2.7		3.2	
						0	5					
	30	115		3450		435*190*8	495*250*1	4 2	2.7		3.2	

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, WhatsApp: +8618267537265; Email: sales@seminglighting.com




_				0	5		
	40	115	4600	435*190*8	495*250*14	2.7	3.2
				0	5		
	50	110	5500	435*190*8	495*250*14	2.7	3.2
				0	5		
	60	105	6300	435*190*8	495*250*14	2.7	3.2
				0	5		


# **Product Display**







# Application



Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, WhatsApp: +8618267537265; Email: sales@seminglighting.com