

### **Zhejiang Seming Electronic Co., Ltd**

#### T12 Tubular Paster Retro LED Fireworks Bulb

#### **Product Description**

T12 Tubular Paster Retro LED Fireworks Bulb can add an elegant touch of warmth and retro feel to any room while incorporating modern energy-saving technology. Given its decorative appeal, the T12 Tubular Paster Retro LED Fireworks Bulb is an ideal fit for restaurant pendant lights, bistro lights, tent lighting, ornamental lights, commercial light strings, decorative light strands, outdoor wedding lights, or for any decorative application that accepts bulb types with E26/E27 bases.

#### Benefits of LED Fireworks bulb:

- 1. It is designed to last 20,000 hours—17 times longer than incandescent bulbs.
- 2. Use 80% less power than conventional or halogen light and 50% less than compact fluorescents.
- 3. The power saving from an Led light will usually pay for itself in less than 2 years.
- 4. It is fit for building the atmosphere of somewhere just as bar, bistro, and so on.
- 5. Less heat produce, it is safer to operate.
- 6. Environment-friendly, no mercury and harmful metal.

#### **Detailed Parameters:**

Bulb Type	Incandescent Clear Glass
Condition	Brand new light bulb and packed with factory box

Address: Haicheng Road, Baiguan Industrial District, Shangyu Area, Shaoxing City, Zhejiang province, China; Tel: +861 8267537265, **WhatsApp:** +8618267537265; **Email:** sales@seminglighting.com



# **Zhejiang Seming Electronic Co., Ltd**

Dimmable	Yes
Size	Diameter 32 mm x Height 131 mm
Watts	5.0W
Voltage	110V/220V
Life Hours	20000 average hours
Base Type	Standard E27 Medium Screw Base
Lumens (Initial)	200 lm
Color	2700K
Temperature	
Bulb Color	Warm White

#### More Details:

All of our light bulbs pass CE, FCC, ROHS certificate and will work anywhere in the world. And OEM, Custom made both are OK.

E27 screw base is interchangeable with E26 lamp holder

**Product Display:** 



## Zhejiang Seming Electronic Co., Ltd



#### **Application**

Suitable for halls, bars, office or home use.